

TURBINE OIL ANALYSIS



Turbine Oil Analysis


In today's world, companies rely on turbines and compressors to provide power and gas transportation for core processes. Turbines and compressors already have demanding lubrication requirements and those demands are increasing. More demands are being put on these fluids as reservoir size and working clearances decrease and system power outputs, pressures, temperatures and oil service life increase. Lubricants must be highly oxidative and thermally stable to be able to handle these higher operating temperatures. Additionally, the lubricant must remain contaminant-free to properly lubricate bearings and gears, and to act as a favourable hydraulic medium for governors and valving control systems.

Oil oxidation and sludge will lead to sticking servo valves, meaning control valves will not open on demand. Oil contamination will accelerate wear, cause governors and valves to operate erratically and plug system filters. Unmonitored, poor oil condition leads to unplanned outages which are disruptive and potentially very expensive.

In order to achieve peace of mind on the operating condition of your turbine and compressor you need the comprehensive testing that WearCheck provides. Specifically designed for industrial turbines and compressors, WearCheck's turbine oil analysis kit combines well-established industrial tests with more recent advances in industry-testing to provide an unparalleled view of the operating condition of your critical lubricants.

WearCheck's turbine oil analysis kit determines the levels of remaining antioxidants in the oil, detects unwanted oil contamination and will accurately determine the suitability of the lubricant for continued use. A comprehensive diagnosis warns you of any potential for damaging varnish build-up and includes recommendations for any necessary maintenance actions to remove contamination and restore the lubricant to optimum operating condition.

Typical Applications: gas turbines, steam turbines, hydro-electric turbines, rotary compressors.



TEST	METHOD	BENEFIT	STD. KITS	ADV. KITS
Viscosity at 40°C	ASTM D7279	Indication of the lubricant's resistance to flow at 40°C	✓	✓
Viscosity at 100°C	ASTM D7279	Indication of the lubricant's resistance to flow at 100°C	✓	✓
Elemental Analysis	ASTM D5185*	Concentration of wear and additive elements present in the lubricant	✓	✓
Water Content	ASTM D6304	Presence of moisture in parts per million (ppm)	✓	✓
Total Acid Number	ASTM D974	Acidity of the lubricant	✓	✓
Particle Quantification		Indication of magnetic particles in the lubricant	✓	✓
Particle Count	ISO4406:99	Size and distribution of particles present in the lubricant	✓	✓
Remaining Useful Life	ASTM D6971*	Concentration of antioxidants present as compared to new oil	✓	✓
Membrane Patch Colorimetry	ASTM D7843	Presence of insolubles that may lead to varnish build-up		✓
Foaming Characteristics	ASTM D892	Tendency of the lubricant to produce foam and the stability of the foam produced		✓
Air Release	ASTM 3427	Ability of the lubricant to release entrained air		✓
Water Separability	ASTM D1401	The lubricant's ability to separate from water		✓
Rotating Pressure Vessel Oxidation Test	ASTM D2272	Oxidation stability of the lubricant	Available On Request	

* Variances to the method are applied

Contact Details

South African Offices & Laboratories

Head Office

Unit 4, The Terrace, Westway Office Park,
Westville, KwaZulu-Natal
t : +27 31 700 5460
e : support@wearcheck.co.za

Bloemfontein

Unit B, 4 Milner Road
Waverley, Bloemfontein
t : +27 51 101 0930
e : support@wearcheck.co.za

Eastern Cape

8 Van Wyk Road,
Westering
t : +27 41 360 1535
e : support@wearcheck.co.za

Gauteng

30 Electron Avenue,
Isando
t : +27 11 392 6322
e : support@wearcheck.co.za

Middelburg & Witbank

Unit 7a Nungu Industrial Park
13 Mandela Drive, Middelburg
t : +27 13 246 2966
e : support@wearcheck.co.za

Northern Cape

4 Peace Haven, Hendrik Van Eck Street,
Kathu
t : +27 66 474 8628
e : support@wearcheck.co.za

Rustenburg

221A Beyers Naude Street,
Rustenburg
t : +27 83 938 1410
e : support@wearcheck.co.za

Steelpoort

R555 Road, Block B6,
Steelpoort Mining Park
t : +27 71 269 1332
e : support@wearcheck.co.za

Western Cape

Unit 33, Prosperity Park, 10 Computer
Road, Montague Gardens, Cape Town
t : +27 21 001 2100
e : support@wearcheck.co.za

International Offices & Laboratories:

Botswana (Agent - Sound Principles)

Plot 54014, Gaborone West,
Garaone
t : +267 311 6829
e : support@wearcheck.co.za

Ghana

Adjacent PanAfrican (Zen Yard), Akyempin Road,
Tarkwa
t : +233 54 431 6512
e : supportgh@wearcheck.com.gh

India

#16 - B Kamokoti Nagar Main Road, Pallikaranai,
Chennai, 600 100, Tamilndau
t : +91 44 4557 5039
e : nissar@wearcheck.co.in

Mozambique

Bairro Chitata, VILA de Moatize,
Tete
t : +258 84 697 7006
e : supportmz@wearcheck.co.mz

Namibia

Unit 14, Lafrenz Industrial Park – Erf R/E 26 W,
Rendsburger Street, Windhoek
t : +264 81 229 6926
e : support@wearcheck.co.za

Pakistan (Agent - Feasible Solutions)

A-3/6 Phase II, Regency Apartments near Musken
Chowrangi, Gulshan-elqbal, Karachi
t : +971 6 740 1700
e : support@wearcheck.co.za

UAE – Dubai

Plot 271, Sector 18
Al Jaraf Area, Ajman
t : +971 674 01700
e : operations@wearcheckpm.com

Uganda (Agent - API Technical Services Limited)

Plot 8, Luthuli Drive
Bugolobi
t : +256 78 529 6994
e : support@wearcheck.co.za

Zambia

Plot 3717, Prescott Road
Light Industrial Area, Kitwe
t : +260 212 210 161
e : support@wearcheck.co.za

Zimbabwe

23 Amby Drive, Amby, Harare
t : +263 24 244 6369
e : evanm@wearcheck.co.zw